

Township of Hornepayne,  
CAO/Clerk Gail Jaremy.

**Please find enclosed one (FOI) request for Canadian National Railways response and the other responses received from the, “number of agencies” as referred to in 3.0 Public Consultation of the Environmental Assessment Study Report (2004).**

I include Documentation from the same study Re. your file number M2017-008, which confirms the existence of such.

I have not included the usual five (5) dollar processing fee as this material should have been included in your original mail out of October 26<sup>th</sup> 2017. I will however pay for the additional pages at the per usual rate when the total number of the same is established.

Thanking you for your attention to this request.

George Collins.

A handwritten signature in black ink, appearing to read "George Collins", written in a cursive style.

# Request Form

under the *Freedom of Information and Protection of Privacy Act*/  
*Municipal Freedom of Information and Protection of Privacy Act*

Please Note: A \$5.00 application fee is required for all requests.

<b>Request for:</b> <input checked="" type="checkbox"/> Access to General Records <input type="checkbox"/> Access to Own Personal Information <input type="checkbox"/> Correction to Own Personal Information	<b>Name of Institution request made to:</b> <i>Municipality of Hornby</i>
--	--

If request is for access to, or correction of, own personal information records:  
Last name appearing on records:  same as below, or: \_\_\_\_\_

<input checked="" type="checkbox"/> Mr. <input type="checkbox"/> Mrs. <input type="checkbox"/> Ms. <input type="checkbox"/> Miss	Last Name: <i>Collins</i>
First Name: <i>GEORGE</i>	Middle Name: <i>J</i>
Address: (Street/Apt. No./P.O. Box/R.R. No.)	City/Town: <i>Nipigon</i>
Province: <i>Ont.</i>	Postal Code: <i>P0T 2J0</i>
Telephone Number (Day): <i>(807) 887-3328</i>	Telephone Number (Evening): ( ) <i>SAME</i>

Detailed description of requested records, personal information or personal information to be corrected. (If you are requesting access to or correction of your personal information, please identify the personal information bank or record containing the person information, if known.)

*Canadian National Railways and other responses received as referred to in 3.0 of Public Consultation (EA) Study Report (2004)*

Note: If you are requesting a correction of personal information, please indicate the desired correction, and if appropriate, attach any supporting documentation. You will be notified if the correction is not made and you may require that a statement of disagreement be attached to your personal information.

<b>Preferred method of access to records:</b> <input type="checkbox"/> Examine Original <input checked="" type="checkbox"/> Receive Copy	<b>Signature:</b> <i>George Collins</i>	<b>Date:</b> <i>Jan 30th 2018</i>
--	---	-----------------------------------

For Institution Use Only		
Date Received:	Request Number:	Comments

Personal Information contained on this form is collected pursuant to the Freedom of Information and Protection of Privacy Act/Municipal Freedom of Information and Protection of Privacy Act and will be used for the purpose of responding to your request. Questions about this collection should be directed to the Freedom of Information and Privacy Co-ordinator at the institution where the request is made.



## **3.0 PUBLIC CONSULTATION**

### **3.1 Introduction**

A Notice of Commencement for the study to address the water supply in the Community of Hornepayne was published in the Bear News in March 2003. A copy of the notice is attached as Appendix B. In addition, a notification letter was distributed to residents as a "mass mailing"; a copy of the notification letter is also included in Appendix B.

In addition to advertising in the media, a study commencement letter was mailed by the Township to the mandatory agency contacts during the week of Jan.31, 2003 and notice was sent by bulk mail to every postal box in Hornepayne. Refer to Appendix C for a list of contacts.

### **3.2 Responses**

Written responses have been received from a number of agencies.

Refer to Appendix D for written responses and minutes of meetings.

### **3.3 Public Consultation**

A notice of a September 22, 2003 public meeting was published in the Bear News on September 10 and 17, 2003.

A copy of the notice has been included in Appendix E.

The Public Information Centre was held at the Township Office. The Project Team was on hand from 2:00 p.m. to 4:00 p.m. and from 7:00 p.m. to 9:00 p.m. The purpose of the Public Information Centre was to:

- Introduce the project team;
- Provide an overview of the project;
- Review the Class EA Study Process;
- Provide an overview of the problem and alternatives evaluated;
- Present the preferred solution;
- Solicit input regarding the preferred solution.

Six displays were prepared for the meeting. Copies of the public meeting comment sheet, sign in sheet and displays are provided in Appendix E and maps in Appendix H.

A notice of a January 20, 2004 public meeting was published in the Jackfish Journal on January 7 and 14, 2004. A copy of the notice is also included in Appendix E. Copies of notes related to the second public meeting are provided in Appendix E.



### 3.4 Agency Involvement

As previously noted, relevant external agencies were included in the contact list and notified at the outset of the Class EA Study project. Contacts included correspondence and telephone conversations. A letter, advising of the Class EA process, was sent out the week Jan. 31, 2003 (see Appendix B). Written responses are attached as Appendix D.

### 3.5 Approvals

Based on discussions with relevant agencies, the following approvals will be necessary to carry out the proposed works at this site:

- Township of Hornepayne
  - Site Plan Approval and Building Permit;
  
- Ministry of Environment
  - Certificate of Approval
  - Permit to Take Water
  - Air and Emissions for standby power supply
  
- Ministry of Natural Resources
  - Work Permits
  
- Ministry of Transportation
  - Encroachment Permits

**APPENDIX D**  
**AGENCY RESPONSES**  
**AND**  
**NOTES OF MEETINGS**

*Two (2) Pregnancy Health Unit  
Doc. only ones in Cyp.*



# Proposed Water Supply System Class Environmental Assessment Study Comment Sheet

## Public Consultation Centre #2 – January 20, 2004

Township of Hornepayne has identified the need to upgrade the existing municipal water system. The Township retained a consultant team to review and assess the existing wells and potential new water sources. As a result of this study, the consultants recommend that a new water supply intake system be constructed at Moonlight Lake and a new water filtration plant be constructed at First Street and Herbert Avenue to meet Hornepayne's water supply needs for the long term. This project is subject to Schedule C of the Municipal Class Environmental Assessment.

1. Do you agree with the proposed new water treatment system as outlined at this Public Meeting?  
Please check one of the following:

Strongly Agree  Agree  Don't Know  Disagree  Strongly Disagree

Please indicate why you feel this way:

Self Explanatory

2. Do you have concerns or issues that you would like to see addressed in this study?

No

3. What overall comments or suggestions do you have about the study?

None

### OPTIONAL INFORMATION

Your Name (Please print) Yves Villeneuve  
Address Box 2470 HRAEST Postal Code P0L 1N0  
Phone and Fax (905) 362-7467 e-mail address Villeneuve@post.quehu.on.ca  
(905) 362-4854

We invite your comments and questions about the project. Thank you for your input!  
Please return the completed form by January 30, 2004

The information on this comment sheet is collected under the authority of the Environmental Assessment Act and will become public information. All comments will be included anonymously in the documentation of the Class EA Project file at the conclusion of the study

Please mail or fax the completed form to:  
Mr. Neil Beesley, P.Eng., Project Manager  
AWS Engineers and Planners Corp.  
100 King Street West, Suite 2200  
P.O. Box 57179, Jackson Station, Hamilton, ON L8P 4X1  
Toll Free: (800) 263-4178 Fax: (905) 521-0106  
email: [nbeesley@amwater.com](mailto:nbeesley@amwater.com)

Mrs. Susan Smith, Clerk  
Township of Hornepayne  
P.O. Box 370  
Hornepayne ON P0M 1Z0  
phone (807) 868-2020 Fax: (807) 868-2787  
email: [Hornepayne@nwconx.net](mailto:Hornepayne@nwconx.net)



**"Over 50 Years of Caring & Serving"**

Acting Medical Officer of Health  
Dr. A.G. de la Rocha

Main Office

**TIMMINS**   
169 Pine Street South  
Postal Bag 2012, P4N 8B7  
Tel. (705)267-1181  
Fax. (705)264-3080  
E-Mail info4you@porcupinehu.on.ca

Branch Offices

**COCHRANE**   
Box 550, POL 1C0  
Tel. (705)272-3394  
Fax. (705)272-4006  
E-mail-cochran@porcupinehu.on.ca

**HEARST**   
Box 2470, POL 1N0  
Tel. (705)362-4854  
Fax. (705)362-7482  
E-mail hrat@porcupinehu.on.ca

**ARNEPAYNE**   
Box 127, POM 1Z0  
Tel. (807)868-2091  
Fax. (807)868-2225  
E-mail-

**IROQUOIS FALLS**   
Box 575, POK 1G0  
Tel. (705)232-4084  
Fax. (705)232-6845  
E-mail-ifalls@porcupinehu.on.ca

**KAPUSKASING**   
4 Ash, P5N 2C8  
Tel. (705)335-6101  
Fax. (705)337-1895  
E-mail-kapusk@porcupinehu.on.ca

**MATHESON**   
Box 490, POK 1N0  
Tel. (705)273-2854  
Fax. (705)273-2522  
E-mail-math@porcupinehu.on.ca

**MOOSONEE**   
Box 57, POL 1Y0  
Tel. (705)338-2284  
Fax. (705)338-2919  
E-mail-moosonee@porcupinehu.on.ca

**SMOOTH ROCK FALLS**   
Box 388, POL 2B0  
Tel. (705)338-2854  
(705)338-2250  
E-mail-srffalls@porcupinehu.on.ca

**FACSIMILE TRANSMISSION**

TO: AWC King & Planners Corp.

FAX # (905) 521-0106

DATE Jan. 26/04

From: YVES Dillouenne

Office location: HEARST, ON.

2:15 p.m.  
Time:

Number of pages including this one: 2

**MESSAGE:**

As requested.

**RECEIVED BY FAX**

JAN 26 2004

This message is intended only for the use of the individual or entity to which it is addressed and may contain information which is privileged, confidential, or subject to copyright. Any unauthorized use, disclosure, distribution or copying of this communication by anyone other than its intended recipient is strictly prohibited. If you have received this material in error, please notify us immediately by telephone so that we can arrange for its return at our expense.


**APPENDIX G**

**MANDATORY CONTACTS**

## MANDATORY CONTACTS

A copy of the report presented at the Second Public Consultation Centre was sent to the following agencies for review and comments:

- Township of Hornepayne
- Ministry of the Environment
- Ministry of Natural Resources
- Ministry of Northern Development and Mines
- Ministry of Transportation
- Ministry of Agriculture, Food and Rural Affairs
- Ministry of Tourism, Culture and Recreation
- Algoma District School Board
- Hornepayne Roman Catholic School Board
- Canadian National Railway
- Canadian Pacific Railway
- Bell Canada
- Health Unit

 To the publishing date of this report, responses have been received from:

- Ministry of Transportation
- Canadian National Railway

All other interested firms/persons, to whom notice was sent, were:

- Engineering Northwest Ltd.
- Hallmark Centre
- OCWA