
PDF #41

Rather Unusual

Dec. 20th, 2017.

UPDATE Dec. 20th, 2017.

RATHER UNUSUAL

Please find contained in this PDF recent documentation obtained through the (FOI) Act concerning the, "GROUND WATER STUDY" commenced in 2002.

This particular study would go a very long way to identifying, "What or Whose", pollutants CONTAINED IN THE SURFACE WATER were a direct threat to the Municipal Wells which resulted in a 10.6 million dollar expenditure for a new water system.

Documentation would seem to confirm that the 60% complete and terminated Study at a cost of \$61546.39 dollars must have been received by and forwarded to the MOE by the Municipality in order to use the remaining \$18,453.61 of original funding to commence the "Source Water Study".

Yet the Study cannot be found in the Municipal Records, RATHER UNUSUAL I WOULD THINK.

I have filed again, an (FOI) request with the MOE for the 60% complete (DISCONTINUED Why) Ground Water Study but I'm skeptical about ever getting a copy.

Of the Studies done concerning this matter by KGS, MOE, Engineering North West and AWS Engineering Corp. This one would have been the most revealing and it disappeared from the records, how convenient for some parties.

GC.

Gail Jaremy

From: Keen, Lilian (MOECC) <Lilian.Keen@ontario.ca>
Sent: November-15-17 6:47 AM
To: Gail Jaremy
Subject: RE: Request for Information
Attachments: image005.jpg; image006.png

Hi Gail,

I'm currently working outside of the office. We also received an FOI request with regards to this report which Kirk Crosson conducted the search and it was not found. I can follow up with Kirk upon my return.

Thanks,

Lilian

Sent with BlackBerry Work
(www.blackberry.com)

From: Gail Jaremy <jaremy.hpayne@bellnet.ca<<mailto:jaremy.hpayne@bellnet.ca>>>
Date: Tuesday, Nov 14, 2017, 3:50 PM
To: Keen, Lilian (MOECC) <Lilian.Keen@ontario.ca<<mailto:Lilian.Keen@ontario.ca>>>
Subject: Request for Information

Good Afternoon Lilian,

I'm just following up on a phone call I made with regard to a Groudwater Study that KGS was commissioned to complete on our behalf (arranged by Engineering Northwest from Thunder Bay) in 2002.

We have correspondence indicating that the Groundwater Study was never completed; in fact, it was only completed to 60%. I'm not sure if the Township every received a copy of this uncompleted study and I'm wondering perhaps the MOECC has a copy somewhere, either digital or hardcopy?

The reason I am asking is that we have had an MFIPPA request for this document and there is an email from David Neufeld, then of the MOE, dated October 29, 2004 asking the Township to forward a copy of the incomplete study.

We have searched all of our records at the Township and find no evidence of this document nor a record of any such document being forwarded to the MOECC.

Unfortunately, Mr. Neufeld is no longer with the Ministry so we were unable to contact him directly.

We have contacted both KGS and Hatch (formerly Engineering Northwest Ltd) and both organizations have replied back to us saying they do not have record of the document either.

Would you be able to check your archives to see if this 60% complete Groundwater Study for Hornepayne exists in your records, or alternatively, direct me to the appropriate person who would be able to investigate this?

I appreciate any assistance you can provide.

From: DeLuca, Joseph <joseph.deluca@hatch.com>
Sent: November-09-17 1:26 PM
To: miller.hpayne@bellnet.ca
Cc: Gail Jaremy
Subject: RE: Request for Information - Township of Hornepayne

Follow Up Flag: Follow up
Flag Status: Flagged

Hi Shawna,

Further to my below email, I have spoken with Kathy Bemben (the Project Manager on the project) and she does not recall receiving the 60% groundwater study from KGS. Subsequently, I have searched our archived hard copy files for this project, however, I was not successful in locating any such document.

Regards,

Joseph De Luca, P.Eng.
Senior Project Engineer / Infrastructure

Tel: +1 807 625 8707 Cell: +1 807 627 5207
101-973 Balmoral Street, Thunder Bay
Ontario Canada P7B 0E2

HATCH



From: DeLuca, Joseph
Sent: Tuesday, October 31, 2017 2:59 PM
To: 'miller.hpayne@bellnet.ca' <miller.hpayne@bellnet.ca>
Cc: Gail Jaremy <jaremy.hpayne@bellnet.ca>
Subject: RE: Request for Information - Township of Hornepayne

Hi Shawna,

I have not been successful in locating the 60% complete groundwater study (completed by KGS) referenced document. I have searched our electronic archive and no luck.

As a last measure, I have asked Kathy Bemben if she recalls if the document was ever received – once I hear back from her, I will let you know.

Regards,

Joseph De Luca, P.Eng.
Senior Project Engineer / Infrastructure

Tel: +1 807 625 8707 Cell: +1 807 627 5207
101-973 Balmoral Street, Thunder Bay
Ontario Canada P7B 0E2

HATCH



From: miller.hpayne@bellnet.ca [mailto:miller.hpayne@bellnet.ca]

Sent: Wednesday, October 25, 2017 1:03 PM

To: DeLuca, Joseph <joseph.deluca@hatch.com>

Subject: Request for Information - Township of Hornepayne

Good afternoon Joseph,

Gail forwarded me your email address to follow up on a discussion that you had earlier this week pertaining to a request for information that we received here at the Township.

In 2002, Engineering Northwest commissioned KGS group to conduct a Hydrogeological Study for the Township wells; as a result of the findings, a groundwater study was then to be conducted. The study was extended once and then put on hold. It was only ever 60% complete. I have attached correspondence dating back to 2004 stating that the original groundwater study was in the end discontinued in favour of a source water study as the Township changed its plans to go from a well system to a surface water system. The MOE had requested that the 60% of what was completed from the groundwater study be submitted to them. (please find record of this attached as well)

I have searched our records and cannot find any data pertaining to this incomplete groundwater study. I have also been in touch with KGS group and they do not have any record if this either.

Would you happen to have record of this data?

Any assistance you could provide would certainly be appreciated and please don't hesitate to contact me should you require any further information.

Thank you very much for your time.

Shawna Miller
Bookkeeper/Cashier
Township of Hornepayne
68 Front St P.O. Box 370
Hornepayne, ON P0M 1Z0

miller.hpayne@bellnet.ca

From: Rob Sinclair <RSinclair@ksggroup.com>
Sent: October-23-17 3:08 PM
To: miller.hpayne@bellnet.ca
Subject: RE: Hornepayne Hydrogeological Study 2002

Follow Up Flag: Follow up
Flag Status: Flagged

I have no record.

Rob Sinclair, P.Eng.,
Manager of Environmental Services

KGS Group
3rd Floor - 865 Waverley Street
Winnipeg, MB
R3T 5P4
Work: (204) 896-1209
Fax: (204) 896-0754
Email: rsinclair@ksggroup.com

From: miller.hpayne@bellnet.ca [<mailto:miller.hpayne@bellnet.ca>]
Sent: Monday, October 23, 2017 1:58 PM
To: 'Rob Sinclair'
Subject: RE: Hornepayne Hydrogeological Study 2002

Hello again Rod,

Do you have record of what documents were sent to the MOE during the transition period from the incomplete groundwater study? I have record of correspondence stating that everything that was completed (the 60%) was sent to them before commencing the source water study.

Thank you,

Shawna Miller
Bookkeeper/Cashier
Township of Hornepayne
68 Front St P.O. Box 370
Hornepayne, ON P0M 1Z0
Tel: (807) 868-2020 x 201 Email: miller.hpayne@bellnet.ca
Fax: (807) 868-2787 Web: www.townshipofhornepayne.ca



From: Rob Sinclair [<mailto:RSinclair@kqsgroup.com>]
Sent: October-23-17 12:56 PM
To: miller.hpayne@bellnet.ca
Subject: RE: Hornepayne Hydrogeological Study 2002

The source water study changed to surface water by Engineering North-West as I recall. We had no involvement.

Rob Sinclair, P.Eng.,
Manager of Environmental Services

KGS Group
3rd Floor - 865 Waverley Street
Winnipeg, MB
R3T 5P4
Work: (204) 896-1209
Fax: (204) 896-0754
Email: rsinclair@kqsgroup.com

From: miller.hpayne@bellnet.ca [<mailto:miller.hpayne@bellnet.ca>]
Sent: Thursday, October 19, 2017 1:37 PM
To: rsinclair@kqsgroup.com
Subject: Hornepayne Hydrogeological Study 2002

Good afternoon Rob,

As per our telephone conversation I have scanned the page in which we received with the Freedom of Information Request. It seems that numbers 1-10 in the List of Figures is missing. I would certainly appreciate it if you were able to send me copies of these.

I also have one other question that perhaps you could clarify. Do you happen to have record of whether the Groundwater Study was ever completed? From the records I have seen, it would appear that it was only completed to 60%, then changed to a Source Water Study. If this is so, do you happen have record of the Sourcewater Study?

Any clarification you could provide would be very helpful.

Thank you very much for your time.

Regards,

Shawna Miller
Bookkeeper/Cashier
Township of Hornepayne
68 Front St P.O. Box 370
Hornepayne, ON P0M 1Z0
Tel: (807) 868-2020 x 201 Email: miller.hpayne@bellnet.ca
Fax: (807) 868-2787 Web: www.townshipofhornepayne.ca





006557

Fax Cover Page

RECEIVED
OCT 25 2004

TO Name Richard Tozak
Company MOE Water Policy Branch
Fax # 416-326-0461
RE: Hornepayne Groundwater Study

MESSAGE:

Enclosed please find the response to your request for update on the status of the Groundwater Study.

cc. Sue Smith, Township of Hornepayne

*Spent on 60%
\$61546.39
A. Luthin*

*80,000 original
184536.1 not spent
184536.1 remain*

This message is intended only for the use of the individual to whom it is addressed and may contain information that is privileged or confidential. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify our office immediately by telephone.

FROM: Name Kathy Bemben Ext. _____
Date October 25, 2004 Hardcopy to follow
Time Sent _____ Reply requested
PN # 00033

Total pages (including cover) 3
If total pages not received, please call sender ASAP!

20-Oct-2004 02:10pm From-

T-471 P.003/003 F-387
1-113 1-0000000 1-000

FAX BACK FORM

Status of Groundwater Study Funded by the Ministry of the Environment

1. Draft report submitted to Ministry of the Environment Regional Office

Yes Date: No

2. Final report submitted to Ministry of the Environment

Yes Date: No

3. If final report has not been submitted, please confirm date of submission:

Date: No

4. Comments on above:

Phase refer to enclosed memo dated Oct. 25, 2004.

Kathy Bembler
Signature


Title: Project Engineer

Contact Info: Kathy Bembler

Engineering North west Ltd.

ph. 807-623-3449

**Fax back to the attention of Richard Tozak, Water Policy Branch,
Ministry of the Environment, at 416-326-0461 on or before
November 3, 2004.**



MEMO

Date: October 25, 2004
To: Richard Tozak, Water Policy Branch, MOE
From: Kathy Benben
RE: Township of Homepayne, Groundwater Study

The Township's groundwater source has been determined to be GUDI, and the Township has now completed an ESR to look at alternatives to supplying potable water to the Township. The preferred solution is to go to a new surface water source, and abandon the wells. The Township is now proceeding with the detailed design of the new surface water system.

We had contacted Brent Taylor of the Land Use Policy Branch July 3, 2003 regarding this project, and were advised that there was no impact on the funding if the project was delayed. The Township has advised the consultant that is conducting their Groundwater Study to hold for the present time. The Study is approximately 60% complete.

Now that the Township is proceeding with a surface water source, it makes sense to ensure that the new source is protected. The Township would therefore like to use the remaining funds to put towards a source protection plan for the new source. This would proceed concurrent with the design of the new water system.

If there are any comments or concerns, please do not hesitate to contact our office.

Regards,

A handwritten signature in cursive script, appearing to read "Kathy Benben".

cc. Sue Smith, Township of Homepayne

Confirmation Report - Memory Send

Date & Time: 20-Oct-2004 02:10pm
Tel line :
Machine ID :

Job number : 387
Date & Time : 20-Oct 01:54pm
To : 18076235925
Number of pages : 003
Start time : 20-Oct 02:09pm
End time : 20-Oct 02:10pm
Pages sent : 003
Status : OK

Job number : 387

*** SEND SUCCESSFUL ***

TOWNSHIP OF HORNEPAYNE

P.O. BOX 370, HORNEPAYNE, ONTARIO, P0M 1Z0

FAX

Date: Oct 20/04
Number of pages including cover sheet: _____

To: ENL
Kathy Bembow
Phone: _____
Fax phone: 1-807-623-3435
CC: _____

From: Susan Smith
Clark
Phone: 807-868-2020
Fax phone: 807-868-2787
Time: _____ A.M. P.M.

REMARKS: Urgent For your review Reply ASAP Please comment

Kathy
How should we complete this
Sue

FAX

Date: Oct 20/04

Number of pages including cover sheet: _____

To:

ENL

Kathy Bemben

Phone: 3925

Fax phone: 1-807-623-3440

CC: _____

From:

Susan Smith
Clark

Phone: 807-868-2020

Fax phone: 807-868-2787

Time: _____ A.M. P.M.

REMARKS:

Urgent

For your review

Reply ASAP

Please comment

Kathy

How should we complete this

Sue

Ministry
of the
Environment

Ministère
de
l'Environnement

135 St. Clair Avenue West
Toronto ON M4V 1P5
Water Policy Branch
6th Floor

135, avenue St. Clair ouest
Toronto ON M4V 1P5



Tel: 416-314-7049
Fax: 416-326-0461

October 18, 2004

RECEIVED
OCT 20 2004

Ms. Susan Smith
Township of Hornepayne
Tel: (807) 868-2020
Fax: (807) 868-2787

Dear Ms. Smith:

Re: Tracking Completion of Groundwater Study

The Ministry of the Environment is tracking completion of the groundwater study for which you have received provincial funding. Attached is a Fax Back Form which you are requested to complete and return to the Ministry. Please sign and return the form to our office within two weeks of receiving this letter.

Your timely cooperation is appreciated. If you have any questions, please do not hesitate to contact me at (416) 314-7049. My e-mail address is david.neufeld@ene.gov.on.ca

Sincerely,

Dr. David Neufeld
Manager
Water Policy Branch

Attachment

FEED FAX THIS END

FAX	
To:	Susan Smith
Dept.:	Hornepayne
Fax No.:	
No. of Pages:	2
From:	D. Neufeld
Date:	Oct 20, 2004
Company:	MOE
Fax No.:	
Comments:	
Post-it [®] Fax pad 7003E	





December 2, 2004

RECEIVED
DEC 08 2004

PN 04034

Ministry of the Environment
435 S. James Street, Suite 331
Thunder Bay, Ontario
P7E 6S7

Attention: Mr. Mark Puumala

Dear Sir:

**Re: Township of Hornepayne
Source Water Protection Plan for Moonlight Lake**

The Township of Hornepayne received funding from the Ministry of the Environment (MOE) in 2002 for a Groundwater Study through Ontario's Clean Water Initiative. The purpose of the study was to assemble information to be used for the long term management of the Municipal groundwater supply.

KGS Group was retained to complete the study in March 2002, and has completed approximately 60% of the work. They were advised to postpone completion of the study, as the Township has decided to change its municipal supply to a surface water source, using Moonlight Lake.

The Township has been advised by the MOE that the funds remaining in the groundwater study budget can be utilized to develop a source protection plan for the new source. This will require the preparation of an updated terms of reference that would need to be approved by the MOE's Regional Office. Please refer to the enclosed e-mail from David Neufeld confirming this.

We have prepared a draft Terms of Reference, based on the draft legislation *Drinking Water Source Protection Act, 2004*, which is enclosed for your review and comments.

Once we have obtained comments from the MOE, we will finalize the Terms of Reference, and forward it to KGS Group.

If there are any questions, or if there is any additional information required, please do not hesitate to contact our office.

Yours very truly,

ENGINEERING NORTHWEST LTD.

K. Bembem, P. Eng.
KB:co
Encl.

cc: Brent Taylor, MOE Land Use Policy Branch
Sue Smith, Township of Hornepayne

Filename: E:\ENL\PN04034\Corres\MOE-Dec2-04-Puumala.doc

Kathy Bemben

From: Sue Smith - Township of Hornepayne [townshipofhornepayne@onlink.net]
Sent: October 29, 2004 3:20 PM
To: kbemben@enl-tbay.com
Subject: Fw: Hornepayne Groundwater Study

----- Original Message -----

From: David.Neufeld@ene.gov.on.ca
To: townshipofhornepayne@onlink.net
Cc: Mark.Puumala@ene.gov.on.ca ; Dave.Hollinger@ene.gov.on.ca ; Cynthia.Carr@ene.gov.on.ca ;
Brent.Taylor@ene.gov.on.ca ; Richard.Tozak@ene.gov.on.ca ; Irmi.Pawlowski@ene.gov.on.ca ;
Barbara.Anderson@ene.gov.on.ca ; Brian.Nixon@ene.gov.on.ca
Sent: Friday, October 29, 2004 2:32 PM
Subject: Hornepayne Groundwater Study

Dear Sue Smith,
(Clerk, Township of Hornpayne)

In our phone discussion this morning you confirmed the information sent to us by your consultant (Kathy Bemben, Engineering Northwest Ltd.), in a memo dated October 25, 2004. You indicated that the Township has decided to change its water supply from a groundwater source to a surface water source, and that the groundwater study, for which you received a grant, is approximately 60%, and is now on hold. You also confirmed what is stated in the memo about the Township's request to use the remaining funds towards a source protection plan for the new source. As we discussed, this would require that the original MOE-approved terms of reference for your municipal source protection study be updated to reflect the new source of drinking water. The updated terms of reference would need to be approved by the Ministry (regional office) before funds could be used for that purpose.

In addition, the Township is required to submit all components of the groundwater study completed to date, including all data that been collected in the appropriate digital formats, as per the original terms of reference and any data sharing agreements you have signed for the project. Please contact Mark Puumala, from our Regional MOE Office (Sudbury) for discussion of the revisions to the original terms of reference.

Dr. David Neufeld
Manager, Water Policy Branch
Ontario Ministry of the Environment
135 St. Clair Avenue, 6th floor
Toronto, Ontario M4V 1P5
(416) 314-7049

01/11/2004

TERMS OF REFERENCE



SOURCE WATER PROTECTION PLAN FOR MOONLIGHT LAKE

DRAFT

Prepared by:



Engineering Northwest Ltd.
Consulting Engineers
301 - 200 S. Syndicate Avenue
Thunder Bay, Ontario
P7E 1C9
(807) 623-3449 (phone)
(807) 623-5925 (fax)

TABLE OF CONTENTS

	<u>Page #</u>
1.0 INTRODUCTION	1
1.1 Background	1
1.4 Previous Studies and Reports	1
2.0 SCOPE OF WORK	1
2.1 Assessment Report	1
2.2 Source Protection Plan	3
3.0 STEERING COMMITTEE	4
4.0 PROJECT SCHEDULE	4
5.0 PROPOSAL REQUIREMENTS	4
6.0 SUBMISSION INSTRUCTIONS	5
6.1 Address for Submission of Proposals	5
6.2 Closing Time for Submission of Proposals	5
6.3 Form of Submission	5
6.4 Enquiries from Consultants	5

1.0 INTRODUCTION

1.1 Background

The Township of Hornepayne is a community of approximately 1,200 people. It is located 100 km north of White River on Highway 631, and is also accessible via the CN Railway and the Hornepayne Airport.

Hornepayne's municipal water supply consists of a groundwater supply from three wells. The groundwater source has been determined to be under the direct influence of surface water (GUDI), along with other problems and water quality concerns.

The Environment Study Report (ESR) that was conducted to determine the preferred way to address problems with the groundwater source, identified a new surface water supply as the preferred solution. The Township is now proceeding with the development of a new water system using Moonlight Lake as the source.

The Township is now proceeding with the development of a Source Water Protection Plan for Moonlight Lake.

1.2 Previous Studies and Reports

The following report will be made available for use by the successful Consultant:

- a) Hydrogeological (GUDI) Study, dated September 2002, prepared by KGS

2.0 SCOPE OF WORK

The Source Water Protection Plan for Moonlight Lake shall be developed generally in accordance with the draft legislation "Drinking Water Source Protection Act, 2004", as developed by the Province of Ontario.

The Source Protection Plan shall include the following:

2.1 Assessment Report

1. One or more detailed maps of the watershed that show,
 - i. a description of the boundary of the watershed and the location of natural features, including,
 - A. lakes, rivers and streams,
 - B. aquifers,
 - C. groundwater recharge zones, and
 - D. wetlands, seepage areas and springs,

- ii. the location of the hydrologically sensitive areas in the watershed,
 - iii. the location of water risks in the watershed,
 - iv. the location of all existing municipal wells and proposed intakes in the watershed,
 - v. for each intake referred to in subparagraph iv, the location of the surface water intake protection zone, and
2. A description of the natural features in the watershed.
3. A general assessment of the quality and quantity of the water in the watershed.
4. An assessment of any linkages between the watershed and adjacent watersheds.
5. A water budget for the watershed that,
 - i. identifies the different ways that water enters and leaves the watershed and quantifies the amount of water that enters or leaves in each way,
 - ii. describes the ground water and surface water flows in the watershed,
 - iii. quantifies the existing and anticipated amounts of water taken from the watershed that require a permit under section 34 of the *Ontario Water Resources Act*,
 - iv. quantifies the existing and anticipated amounts of water taken from the watershed that do not require a permit under section 34 of the *Ontario Water Resources Act*, and
 - v. describes any existing or anticipated water shortages in the watershed.
6. A detailed analysis of the quality and quantity of the water in,
 - i. the hydrologically sensitive areas referred to in subparagraph 1 ii,
 - ii. the surface water intake protection zones referred to in subparagraph 1 vi.
7. A general assessment of the water risks referred to in subparagraph 1 iii.
8. A detailed analysis of the water risks that,
 - i. relate to the raw water supplies of the drinking-water systems referred to in subparagraph 1 iv, and
 - ii. are located in,
 - A. the hydrologically sensitive areas referred to in subparagraph 1 ii,
 - B. the surface water intake protection zones referred to in subparagraph 1 vi.

9. A classification in accordance with the regulations of each water risk referred to in paragraphs 7 and 8 and a preliminary indication of,
 - i. which water risks should be addressed on a priority basis in the source protection plan,
 - ii. which water risks should be addressed by provisions setting out mandatory measures in the source protection plan,
 - iii. for each risk identified under subparagraph i or ii, the objective that should be established in the source protection plan.
10. A description of steps that should be taken to address gaps in information that have been identified during the preparation of the assessment report.
11. A description of other issues related to the protection of water resources in the watershed and any existing or anticipated programs to deal with those issues.

2.2 Source Protection Plan

The Source Protection Plan shall include the following:

1. Copies of the Terms of Reference and the Proposal for Engineering Services.
2. Results of co-ordination and liaison with the public, Ministry of Natural Resources, Department of Fisheries & Oceans, and any other affected review agencies or interest groups. The consultant is responsible to obtain comments and concerns and address them in the preparation of the Source Protection Plan.
3. The assessment report.
4. The objectives and standards that will be used to assess whether the objectives are achieved.

The Source Protection Plan shall be prepared in draft form for submission to the Township for review and comment. The final report shall be submitted to the Township and the Ministry of the Environment.

3.0 STEERING COMMITTEE

A steering committee will be formed consisting of representatives from the Municipality, ENL (the Study Project Manager), and the Consultant. The steering committee will provide direction to the consultant on the nature and scope of assigned tasks.

4.0 PROJECT SCHEDULE

The Consultant shall assume authorization to proceed will be received by _____, 2005.

The draft report must be completed and submitted to the Township for review prior to _____, 2005.

The final report must be completed and submitted to the Township for review prior to _____, 2005.

5.0 PROPOSAL REQUIREMENTS

The consultant shall provide a description on their firms approach to the project and methodology for completing this undertaking. The proposal must be sufficient to ensure that the consultant fully understands the project requirements, and shall include at a minimum:

- Work Plan for the project
- Description of staffing allocations for various components of the project
- Qualifications and relevant experience
- Proposed schedule
- Number of meetings incorporated in the work program. At a minimum, the Consultant shall allow for a minimum of 2 meetings in Hornepayne. The Consultant is responsible to prepare an agenda and minutes for all meetings.
- Description of public and agency consultation
- Breakdown of fees and expenses in a tabular format. Include costs to produce 10 copies of all draft and final reports, including all maps and associated data. Costs to provide electronic copies of the final reports shall also be included.
- Proposed Engineering Agreement, to be executed by the successful consultant upon acceptance of the proposal.

6.0 SUBMISSION INSTRUCTIONS

6.1 Address for Submission of Proposals

Address for submittal of Proposals:

Township of Hornepayne
P. O. Box 370
68 Front Street
Hornepayne, Ontario
P0M 1Z0

Clearly mark sealed packages: **PROPOSAL SUBMISSION FOR SOURCE WATER
PROTECTION PLAN FOR MOONLIGHT LAKE**

6.2 Closing Time for Submission of Proposals

Proposals must be received no later than:

3:00 pm EST, _____, 2005

6.3 Form of Submission

Three bound copies of the proposal are to be delivered by the closing time noted in 6.2 to the address noted in section 6.1. No late deliveries, fax transmissions, or e-mails will be accepted.

6.4 Enquiries from Consultants

Consultants are to direct enquiries during the proposal call period in writing to the Study Project Manager:

Name and Contact Info:

Kathy Bembem, P.Eng.
Engineering Northwest Ltd.
200 S. Syndicate Avenue, Suite 301
Thunder Bay, Ontario P7E 1C9
phone - (807) 623-3449, Ext. 225
fax - (807) 623-5925

Canada Ontario Infrastructure Program (COIP) Final Project Report
Rapport de projet final du Programme d'infrastructures Canada-Ontario
 ONTARIO SMALL TOWN AND RURAL (OSTAR) DEVELOPMENT INFRASTRUCTURE INITIATIVE
 INITIATIVE DÉVELOPPEMENT DES COLLECTIVITÉS RURALES ET DES PETITES LOCALITÉS DE L'ONTARIO

Part 1 - Project Information / Partie 1 - Information sur le projet

Municipality/Municipalité	THE CORPORATION OF THE TOWNSHIP OF HORNEPAYNE
File Number/Numéro de dossier	6105
Project Name/Nom du projet	Water Treatment Facilities
Eligible Project Cost/Cost admissible du projet	\$10,594,205.06
Total Project Cost/Cost total du projet	\$10,666,944.18

Authorized Official / Responsable autorisé(e)

Name/Nom	Date/Date
Line Guindon	#####
Title/Titre	
Treasurer	
I certify that the named project has been completed in accordance with the provincial - municipal agreement and that, where applicable, all identified environmental mitigation measures have been satisfactorily addressed and that supporting invoices and records are available for audit, if required.	
J'affirme par la présente que le projet nommé a été terminé conformément à l'accord provincial-municipal et que, le cas échéant, toutes les mesures d'atténuation environnementales normées ont été adressées de façon acceptables et que les factures et documents d'appui sont disponibles à des fins de vérification.	
Signature/Signature :	

Part 2 - Final Report Information/Partie 2 - Information du rapport final

Breakdown of Project Costs (Categories as per Schedule 2 of Application) / Répartition des coûts du projet (Catégories selon l'annexe 2 de la demande)	
	GROSS PROJECT TOTAL / PROJET BRUT TOTAL
Preliminary Engineering / Conception préliminaire Engineering / Ingénierie	\$11,268,817.17
Construction / Construction	\$601,872.99
Project Management / Gestion de projet	\$10,666,944.18
Surveys / Sondages	27-Jun-05
Miscellaneous / Divers	31-Mar-11
P.S.T. / T.V.P.	
G.S.T. / T.P.S.	
continue at top of right side - part 2 / suite de la partie 2, en haut à droite	

*NOTE: If the actual costs are 20% less or greater than the estimated costs for any of the above categories, please attach an explanation of the variance for each.

*REMARQUE : Si le coût actuel est de 20 % supérieur ou inférieur au coût estimé pour une des catégories ci-dessus, veuillez inclure une explication de l'écart pour chacun des coûts.

Dec 13th, 2017

To: Keen Lilian (MOECC)

Senior Environmental Officer

Sault Ste Marie.

My Copy


Please find enclosed one completed application form type (02/00) as you requested in your email to Gail Jaremy CAO/Clerk, Township of Hornepayne Ont. On Dec. 12, 2017.

I enclose a cheque made payable to the Minister of Finance for Ontario, in the amount of five (5) dollars to cover processing of the same.

I make complaint of your requirement that I do the same in order to obtain information which is PUBLIC RECORD to your Minister the Honourable Chris Ballard and my MPP for Thunder Bay Superior North the Honourable Michael Gravelle.

The constant requirement to file under the (FOIPA) is a tactic used only to discourage ,delay ,avoid and frustrate my efforts to discover and examine facts concerning the requirement and necessity of burdening the residences of Hornepayne with a new crippling Ten point Six Million dollar Municipal Water System. However if this is what it will take to get the facts on the table then so be it.


George Collins,

121 Fourth St. Nipigon Ont.

CC Hon Michael Gravelle MPP Thunder Bay Superior North

HON Chris Ballard Minister of Environment and Climate Change for Ont.

Ministry of the Environment
 Freedom of Information and Protection of Privacy Office
 40 St. Clair Avenue West, 12th Floor
 Toronto, ON M4V 1M2
 Tel: 416-314-4075
 Fax: 416-314-4285



Use this form to request records that are in the Ministry's files on environmental concerns related to properties.
 Please refer to the guide on the completion and use of this form. Our fax no. is 416-314-4285.

Requester Data		For Ministry Use Only	
Name, Title, Company Name and Mailing Address of Requester GEORGE COLLINS Box 883		FOI Request No.	Date Request Received
MIP/60N ONT POT 250 Email Address: grampa bug 7@hotmail.com		Fee Paid <input type="checkbox"/> CHQ <input type="checkbox"/> VISA/MC/AMEX <input type="checkbox"/> CASH/MONEY ORDER	
Tel: 807-887-3328 Fax:	Your Project/Reference No.	Signature of Requester <i>George Collins</i>	
		<input type="checkbox"/> CNR <input type="checkbox"/> ER <input type="checkbox"/> NOR <input type="checkbox"/> SWR <input type="checkbox"/> WCR <input type="checkbox"/> IEB <input type="checkbox"/> EAA <input type="checkbox"/> EMR <input type="checkbox"/> SCB <input type="checkbox"/> SDW	
Request Parameters			
Municipal Address/Lot, Concession, Geographic Township (Municipal address mandatory for cities, towns or regions) HORNBY TOWNSHIP OF			
Present Property Owner(s) and Date(s) of Ownership CORPORATION SAME as ABOVE			
Previous Property Owner(s) and Date(s) of Ownership			
Present/Previous Tenant(s) (if applicable)			
Search Parameters			Specify Year(s) Requested
Files older than 2 years may require \$60.00 retrieval cost. There is no guarantee that records responsive to your request will be located.			
Environmental concerns (General correspondence, occurrence reports, abatement)			
Orders			
Spills			
Investigations/prosecutions ▶ Owner and tenant information must be provided			
Waste Generator number/classes			
Certificates of Approval ▶ Proponent information must be provided and Certificates of Approval number(s) (if known). 1985 and prior records are searched manually. Search fees in excess of \$300.00 may be incurred, depending on the types and years of records to be searched. If supporting documents are also required, mark SD box.			
		SD	Specify Year(s) Requested
Air - emissions			
Renewable Energy			
Water - mains, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster) DRINKING WATER FILES			X
Sewage - sanitary, storm, treatment, stormwater, leachate & leachate treatment & sewage pump stations			
Waste water - industrial discharge			
Waste sites - disposal, landfill sites, transfer stations, processing sites, incinerator sites			
Waste systems	- haulers: sewage, non-hazardous & hazardous waste, mobile waste processing units, PCB destruction		

Please See Over

Dec 13th 2017

This search is for the 60%
Ground Water Study done by KGS for the
Municipality of Hornby Bay Ont.
Approx 2002 or 2003 time frame.

Geary Collier